



57

CERTIFICATE

I, the undersigned, Yoshihito IIZUKA
of 24-6, Hongo 5-chome, Bunkyo-ku, Tokyo 113-0033, Japan
do hereby certify that to the best of my knowledge and belief
the following is a true translation into the English made by me
of the accompanying copy of the documents in respect of
Japanese Patent Application No. 2000-172514 filed on
the 8th June, 2000 and of the official certificate
annexed thereto.

Signed this

13th

day of July, 2004

Yoshihito IIZUKA

[Name of Document] SPECIFICATION

[Title of Invention] Content Generation Service System, Method and Recording Medium

[Patent Claims]

[Claim 1] A content generation service system comprising:

a client terminal that inputs melody information and transmits the inputted melody information to a server; and

a server that creates content by imparting an additional value to the transmitted melody information and delivers, to the client terminal, the created content.

[Claim 2] A content generation service system comprising:

a client terminal that inputs melody information and transmits the inputted melody information to a server; and

a server that creates regular content by imparting an additional value to the transmitted melody information, also creates sample content, in correspondence with the regular content, for test listening or test viewing by a user, and delivers, to the client terminal, the created sample content for test listening or test viewing by a user,

wherein said server delivers the regular content to the client terminal on condition that the server has confirmed a request for acquiring the regular content from the client terminal.

[Claim 3] A content generation service system as claimed in claim 2 wherein said server performs a billing process on condition that the server has confirmed the request for acquiring the regular content by the client terminal.

[Claim 4] A content generation service system comprising:

a client terminal that inputs melody information and parameter information and transmits the inputted melody information and parameter information to a server; and

a server that creates content by imparting an additional value corresponding to the transmitted parameter information to the transmitted

melody information and delivers, to the client terminal, the created content.

[Claim 5] A content generation service system as claimed in claim 4 wherein said client terminal inputs the parameter information by selecting any parameter information from among a plurality of items of previously-provided parameter information.

[Claim 6] A content generation service system as claimed in any of claims 1 - 5 wherein said additional value corresponds to any one of:

harmony information matching with the input melody information transmitted via said transmitter;

chord information matching with the input melody information;

backing information matching with the input melody information;

left-hand performance information matching with the input melody information, with the input melody information assumed to be performance information generated through a performance on a keyboard-based musical instrument by a right hand;

both-hand-keyboard performance information matching with the input melody information;

performance expression information for the input melody information;

musical composition information of a single music piece with the input melody information used as a motif thereof;

other melody information made by modifying the input melody information;

information made by converting waveform data of the input melody information into tone-generator driving information of a predetermined format; and

musical score picture information corresponding to the additional values listed above.

[Claim 7] A content generation service system comprising:

a client terminal that inputs musical material information and transmits the inputted musical material information to a server; and

a server that creates content by imparting an additional value to the transmitted musical material information and delivers, to the client terminal, the created content.

[Claim 8] A content generation service system comprising:

a client terminal that inputs musical material information and transmits the inputted musical material information to a server; and

a server that creates regular content by imparting an additional value to the transmitted musical material information, also creates sample content, in correspondence with the regular content, for test listening or test viewing by a user, and delivers, to the client terminal, the created sample content for test listening or test viewing by a user,

wherein said server delivers the regular content to the client terminal on condition that the server has confirmed a request for acquiring the regular content from the client terminal.

[Claim 9] A content generation service system comprising:

a client terminal that inputs musical material information and parameter information and transmits the inputted melody information and parameter information to a server; and

a server that creates content by imparting an additional value corresponding to the transmitted parameter information to the transmitted musical material information and delivers, to the client terminal, the created content.

[Claim 10] A content generation service method comprising:

a step of inputting, in a client terminal, melody information and transmitting the inputted melody information to a server;

a step of creating, in a server, regular content and sample content for test listening or test viewing by a user, by imparting an additional value to the transmitted melody information, and delivering, to the client terminal, the created sample content for test listening or test viewing by a user; and

a step of delivering the regular content to the client terminal on

condition that the server has confirmed a request for acquiring the regular content from the client terminal.

[Claim 11] A content generation service method comprising:

a step of inputting, in a client terminal, melody information and parameter information and transmitting the inputted melody information and parameter information to a server; and

a step of creating, in a server, content by imparting an additional value to the transmitted melody information, and delivering, to the client terminal, the created content.

[Claim 12] A recording medium for a content generation service, said medium storing a program which comprises:

a step of receiving melody information from a client terminal;

a step of creating regular content by imparting an additional value to the received melody information, also creating sample content, in correspondence with the regular content, for test listening or test viewing by a user, and delivering, to the client terminal, the created sample content for test listening or test viewing by a user, and

a step of delivering the regular content to the client terminal on condition that a request for acquiring the regular content from the client terminal has been confirmed.

[Claim 13] A content generation service system comprising:

a client terminal that inputs parameter information and transmits the inputted parameter information to a server; and

a server that creates musical content on the basis of the transmitted parameter information and delivers, to the client terminal, the created content.

[Claim 14] A content generation service system as claimed in claim 13 wherein said server transmits, to the client terminal, screen information for use to input parameter information, and wherein said transmitted screen information is used to input parameter information in the client terminal.

[Claim 15] A content generation service method comprising:

a step of inputting, in a client terminal, parameter information and transmitting the inputted parameter information to a server; and

a step of creating, in a server, musical content on the basis of the transmitted parameter information and delivering, to the client terminal, the created content.

[Claim 16] A recording medium for a content generation service, said medium storing a program which comprises:

a step of receiving parameter information from a client terminal; and

a step of creating musical content on the basis of the received parameter information and delivering, to the client terminal, the created content.

[Detailed Description of Invention]

[0001]

[Technical Field of Invention]

The present invention relates to an improved content generation service system, method and storage medium for converting and delivering musical content between a client terminal and a server via information communication media.

[0002]

[Prior Art]

There have been known apparatus which are designed to generate an additional-value-imparted musical data by performing various processes on melody data input by a user, such as processes for imparting harmonies, chords and accompaniment to the user-input melody data. If a user's information processing terminal is equipped with such a function of generating additional-value-imparted musical data, then the information processing terminal would unavoidably become complicated in construction. Particularly, if the user's information processing terminal is in the form of a small-size apparatus such as a portable communication terminal, it is likely that the processing terminal can not be even equipped with the musical data generating

function due to limits of hardware and storage capacity allocatable to necessary processing programs.

[0003]

[Problems to be Solved by the Invention]

In view of the foregoing, it is an object of the present invention to provide a content generation service system which, via information communication media, can readily generate additional-value-imparted musical content with respect to musical material content, such as a melody, input by a user.

[0004]

It is another object of the present invention to provide a content generation service system which, via information communication media, can readily generate musical content, such as a melody, on the basis of parameter information, such as melody generating parameters, input by a user.

[0005]

[Means for Solving the Problems]

According to a first feature of the present invention, there are provided a content generation service system (claim 1) which comprises: a client terminal that inputs melody information and transmits the inputted melody information to a server; and a server that creates content by imparting an additional value to the transmitted melody information and delivers, to the client terminal, the created content, and a content generation service system (claim 7) which comprises: a client terminal that inputs musical material information and transmits the inputted musical material information to a server; and a server that creates content by imparting an additional value to the transmitted musical material information and delivers, to the client terminal, the created content.

[0006]

According to a second feature of the present invention, there are provided a content generation service system (claim 2) which comprises: a client

terminal that inputs melody information and transmits the inputted melody information to a server; and a server that creates regular content by imparting an additional value to the transmitted melody information, also creates sample content, in correspondence with the regular content, for test listening or test viewing by a user, and delivers, to the client terminal, the created sample content for test listening or test viewing by a user, wherein said server delivers the regular content to the client terminal on condition that the server has confirmed a request for acquiring the regular content from the client terminal, and a content generation service system (claim 8) which comprises: a client terminal that inputs musical material information and transmits the inputted musical material information to a server; and a server that creates regular content by imparting an additional value to the transmitted musical material information, also creates sample content, in correspondence with the regular content, for test listening or test viewing by a user, and delivers, to the client terminal, the created sample content for test listening or test viewing by a user, wherein said server delivers the regular content to the client terminal on condition that the server has confirmed a request for acquiring the regular content from the client terminal. The server performs a billing process on condition that the server has confirmed the request for acquiring the regular content by the client terminal (claim 3).

[0007]

Further, according to the feature, there are provided a content generation service method (claim 10) which comprises: a step of inputting, in a client terminal, melody information and transmitting the inputted melody information to a server; a step of creating, in a server, regular content and sample content for test listening or test viewing by a user, by imparting an additional value to the transmitted melody information, and delivering, to the client terminal, the created sample content for test listening or test viewing by a user; and a step of delivering the regular content to the client terminal on condition that the server has confirmed a request for acquiring the regular

content from the client terminal, and a recording medium (claim 12) for a content generation service, said medium storing a program which comprises: a step of receiving melody information from a client terminal; a step of creating regular content by imparting an additional value to the received melody information, also creating sample content, in correspondence with the regular content, for test listening or test viewing by a user, and delivering, to the client terminal, the created sample content for test listening or test viewing by a user, and a step of delivering the regular content to the client terminal on condition that a request for acquiring the regular content from the client terminal has been confirmed.

[0008]

According to a third feature of the present invention, there are provided a content generation service system (claim 4) which comprises: a client terminal that inputs melody information and parameter information and transmits the inputted melody information and parameter information to a server; and a server that creates content by imparting an additional value corresponding to the transmitted parameter information to the transmitted melody information and delivers, to the client terminal, the created content, and a content generation service system (claim 9) which comprises: a client terminal that inputs musical material information and parameter information and transmits the inputted melody information and parameter information to a server; and a server that creates content by imparting an additional value corresponding to the transmitted parameter information to the transmitted musical material information and delivers, to the client terminal, the created content. The client terminal inputs the parameter information by selecting any parameter information from among a plurality of items of previously-provided parameter information (claim 5). Further, according to the feature, there is provided a content generation service method (claim 11) which comprises: a step of inputting, in a client terminal, melody information and parameter information and transmitting the inputted melody information and parameter information

to a server; and a step of creating, in a server, content by imparting an additional value to the transmitted melody information, and delivering, to the client terminal, the created content.

[0009]

According to the present invention, the additional value corresponds to any one of: harmony information matching with the input melody information transmitted via said transmitter; chord information matching with the input melody information; backing information matching with the input melody information; left-hand performance information matching with the input melody information, with the input melody information assumed to be performance information generated through a performance on a keyboard-based musical instrument by a right hand; both-hand-keyboard performance information matching with the input melody information; performance expression information for the input melody information; musical composition information of a single music piece with the input melody information used as a motif thereof; other melody information made by modifying the input melody information; information made by converting waveform data of the input melody information into tone-generator driving information of a predetermined format; and musical score picture information corresponding to the additional values listed above (claim 6).

[0010]

According to a fourth feature of the present invention, there is provided a content generation service system (claim 13) which comprises: a client terminal that inputs parameter information and transmits the inputted parameter information to a server; and a server that creates musical content on the basis of the transmitted parameter information and delivers, to the client terminal, the created content. The server transmits, to the client terminal, screen information for use to input parameter information, and wherein said transmitted screen information is used to input parameter information in the client terminal (claim 14). Further, according to the feature, there are

provided a content generation service method (claim 15) which comprises: a step of inputting, in a client terminal, parameter information and transmitting the inputted parameter information to a server; and a step of creating, in a server, musical content on the basis of the transmitted parameter information and delivering, to the client terminal, the created content, and a recording medium (claim 16) for a content generation service, said medium storing a program which comprises: a step of receiving parameter information from a client terminal; and a step of creating musical content on the basis of the received parameter information and delivering, to the client terminal, the created content.

[0011]

[Operation of the Invention]

According to the first feature of the present invention, original melody (melody information) is input, as the musical material information, via the client terminal like a client personal computer (PC) or portable communication terminal and then transmitted to a server, so that the server generates music piece data or musical composition data by imparting an additional value to the original melody (melody information) and delivers the thus-generated music piece data (additional-value-imparted data) to the client terminal. With such an arrangement, the present invention allows a user of the client terminal to obtain additional-value-imparted content without having to complicate the structure of the client terminal.

[0012]

According to the second feature of the present invention, the server is arranged to generate both the regular content and the sample content consisting of test-listening or test-viewing content, and the client terminal is arranged to allow the user to test-listen or test-view the test-listening or test-viewing content and obtain the regular content (additional-value-imparted data) only when the user has found the sample content to be satisfactory as a result of the test listening or test viewing. Thus, in case the sample content

generated and delivered by the server has been found unsatisfactory, the user can choose to not obtain the regular content; that is, the user can be effectively prevented from obtaining the corresponding regular content by mistake.

[0013]

According to the third feature of the present invention, content generating parameters (parameter information) are input, along with musical material information such as an original melody (melody information), from the client terminal, and the server is arranged to generate content on the basis of the original melody and content generating parameters (parameter information). Thus, the user of the client terminal can control the substance of the content to be generated.

[0014]

According to the fourth feature of the present invention, the server apparatus is arranged in such a manner that when the melody generating parameters (parameter information) are input from the client terminal and transmitted to the server, the server generates musical content, such as a melody, on the basis of the melody generating parameters (parameter information) from the client terminal and delivers the thus-generated musical content to the client terminal. With this arrangement, the user of the client terminal can readily obtain musical content.

[0015]

[Embodiments of the Invention]

Specific embodiments of the present invention will be described in detail hereinbelow with reference to the drawings. It should be appreciated that the embodiments described hereinbelow are just for illustrative purposes and may be modified variously without departing from the spirit of the present invention.

[0016]

<System Configuration>

Fig. 1 is a block diagram showing an exemplary general setup of a

content generation service system in accordance with an embodiment of the present invention. This content generation service system includes client terminals such as a client PC (PC=personal computer) 1 and a portable communication terminal 2, and a server 3 that carries out a process corresponding to a request given from any one of the client terminals. The client PC 1 is connected via a communication network 4 to the server 3 for bidirectional communication therewith, and the portable communication terminal 2 is connected via a terminal communication line 5, relay server 6 and relay communication network 7 to the server 3 for bidirectional communication therewith.

[0017]

The client PC 1 is an information processing terminal such as a personal computer having a predetermined information communication function and musical data processing function. The client personal computer 1 may be a special-purpose terminal, such as an electronic musical instrument, music training apparatus, karaoke apparatus or electronic game apparatus, as long as it has the predetermined information communication function and information processing function. The portable communication terminal 2 is a communication terminal, such as a cellular phone, having a predetermined information processing function. Further, the relay server 6 relays signal transmission/reception between the portable communication terminal 2 and the server 3. The server 3 receives a request from the client terminal 1 or 2 via the communication network 4 or the terminal communication line 5, relay server 6 and relay communication network 7, carries out a process corresponding to the received request from the client terminal 1 or 2, and then delivers results of the processing to the client terminal 1 or 2.

[0018]

Fig. 2 is a block diagram showing an exemplary hardware setup of the client PC. In the illustrated example of Fig. 2, the client PC system 1 includes a central processing unit (CPU) 11, a read-only memory (ROM) 12, a

random-access memory (RAM) 13, an external storage device 14, an operation detection circuit 15, a display circuit 16, a tone generator circuit 17, and an effect circuit 18. These components 11 - 18 of the client personal computer 1 are connected with each other via a bus 19, and the client personal computer 1 has a function of processing musical data in addition to an ordinary data processing function.

[0019]

The CPU 11 of the client personal computer 1 controls operations of the entire client personal computer 1, and is connected with a timer 20 that is used to generate interrupt clock pulses or tempo clock pulses. The CPU 11 executes various control in accordance with predetermined programs. The ROM 12 has stored therein predetermined control programs for controlling the client personal computer 1, which may include control programs for basic information processing, musical data processing programs and other application programs, as well as various tables and data. The RAM 13 stores therein necessary data and parameters for these processes, and is also used as various registers, flags and a working memory for temporarily storing various data being processed.

[0020]

The external storage device 14 comprises one or more of various transportable (removal) storage media, such as a hard disk drive (HDD), compact disk read-only memory (CD-ROM), floppy disk (FD), magneto-optical (MO) disk, digital versatile disk (DVD) and memory card, and is capable of storing various control programs and data. Thus, the programs and data necessary for the various processes can be stored not only in the ROM 12 but also in the external storage device 14 as appropriate; in the latter case, any desired program and data can be read from the external storage device 14 into the RAM 13, and processed results can be recorded onto the external storage device 14 as necessary.

[0021]

The operation detection circuit 15 is connected with an operator unit 21

including various operators such as a keyboard, switches and a pointing device like a mouse, via which a user of the client personal computer 1 can input, to the client personal computer 1, information based on manipulation of any one of the operators on the operator unit 21. In this case, by allocating particular ones of the operators to performance operation on a musical instrument's keyboard or the like, it is possible to input musical data to the client personal computer 1. The display circuit 16 is connected with a display device 22, on which can be visually shown buttons operable by the user via the pointing device or other operator. Further, a sound system 23 connected with the effect circuit 18 that may comprise a DSP and the like constitutes, along with the tone generator circuit 17 and effect circuit 18, a sound output section capable of generating a tone.

[0022]

To the bus 19 is connected a communication interface 24, so that the client personal computer 1 is connected, via the communication interface 24 and communication network 4, with the server 3 for bidirectional communication therewith. This way, the system 1 can request the server 3 to perform a predetermined process, or receive from the server 3 various information including musical content so as to store the received various information into the external storage device 14. In the illustrated example of Fig. 2, a MIDI interface (I/F) 16 is also connected to the bus 19 so that the client personal computer 1 can communicate with other MIDI equipment 8.

[0023]

Note that the portable communication terminal 2 and the server 3 each have a hardware setup substantially similar to that illustrated in Fig. 2. However, the portable communication terminal 2 may not include (may dispense with) the MIDI I/F (25) and effect circuit (18), although it does include the tone generator circuit (17). Further, the server 3 may not include (may dispense with) the MIDI I/F (25), tone generator circuit (17) and effect circuit (18).

[0024]

<Outline of System's Functions>

Fig. 3 is a block diagram outlining various functions of the content generation service system in accordance with one embodiment of the present invention. Functionally, the client terminals, such as the client personal computer 1 and portable communication terminal 2, each include a melody input section U1, a parameter input section U2, a test-listening/test-viewing section U3, a content utilization section U4, and a purchase instruction section U5. The server 3 includes a melody database section S1, an additional value generation section S2, and a billing section S3.

[0025]

In the content generation service system of Fig. 3, musical material information, such as melody information (original melody), and parameters (control data) are first input from the client terminal, such as the client PC 1 or portable communication terminal 2, by means of the melody input section U1 and parameter input section U2 and then transmitted to the server 3. In turn, the server 3 generates music piece data having an additional value corresponding to the parameters (control data) with respect to the original melody (musical material information), and delivers the thus-generated music piece data as musical content (additional-value-imparted data) to the client terminal 1 or 2, by means of the additional value generation section S2. At that time, the additional value generation section S2 generates test-listening or test-viewing content (samples data) in addition to the regular musical content, and delivers the test-listening or test-viewing content to the client terminal 1 or 2. Then, upon confirming receipt of a purchase request issued from the purchase instruction section U5 as a result of test-listening or test-viewing operation by the section U3, the billing section S3 of the server 3 performs a billing process, and then the additional value generation section S2 makes arrangements to deliver the regular musical content (additional-value-imparted data) to the requesting client terminal 1 or 2.

[0026]

More specifically, in the client terminal 1 or 2, the melody input section U1 inputs melody information to which an additional value is to be imparted, using a guide screen (window) on the display device 22 and in any one of various melody information input methods such as those enumerated in items (1) to (5) below. The melody information input methods of items (1) to (4) are each designed to input melody data themselves, while the melody information input method of item (5) is designed to merely specify melody designation data (e.g., melody number).

(1) Note data are input by the user instructing contents of a musical score while viewing a displayed musical score, such as a staff or piano roll, on the display device 22.

(2) Notes are input in numerical value (code) data by the user designating tone pitches and duration via operator switches of the operator unit 21, such as a ten-button keypad.

(3) Existing music piece data (SMF: Standard MIDI File) are input by being loaded from the external storage device 14 or the like.

(4) Humming or performance on a musical instrument is recorded in advance, and then waveform data of the recorded humming or musical instrument performance are input.

(5) Desired music piece is selected from among a plurality of music pieces stored in the melody database section S1 of the server 3; in this case, the billing process is carried out in the server 3 in accordance with the selected music piece).

Any other suitable method than the above-mentioned five melody information input methods may be employed; for example, melody information of an automatically composed music piece may be input, or melody information may be input by the user receiving a melody attached to an electronic mail from another client terminal.

[0027]

Fig. 4 shows an example of a melody input screen (window) shown on the display device 22 of the client terminal. In the illustrated example, operation buttons "●" and "○" are so-called "radio buttons", via which only one of items listed on the melody input screen can be selected. As the user selects one of the radio buttons through manipulation of the operator unit 21, the one radio button changes from the non-selected state "○" to the selected state "●". Then, by activating or clicking an "OK" button at the bottom of the melody input screen, the melody input screen changes to a melody data input screen (not shown) corresponding to the selected radio button or user-selected input method.

[0028]

Using the guide screen (window) on the display device 22, the parameter input section U2 inputs additional-value designating parameters indicative of particular types of additional value data to be generated and additional-value-data generating parameters indicative of parameters necessary for generation of the additional value data, with respect to the input melody. For example, the additional-value designating parameters (Parameter 1) include parameters indicating the following types of additional value data

- (1) for imparting harmonies,
- (2) for imparting chords,
- (3) for creating a left-hand performance, with the input melody assumed to be performed by the right hand,
- (4) for creating a both-hand accompaniment suited to the input melody,
- (5) for creating a backing performance,
- (6) for imparting performance expression,
- (7) for automatically composing a single complete music piece,
- (8) for modifying the input melody,
- (9) for creating MIDI data from a waveform of the input melody, and

(10) for creating a musical score.

[0029]

The additional-value-data generating parameters include "Difficulty Level" parameters indicative of a beginner's (introductory) level, intermediate level and advanced level, "Style" parameters indicative of impartment of rendition styles, such as an arpeggio, to the melody, and "Intro/Ending" parameters indicative of impartment of intro and ending sections to the input melody.

[0030]

Figs. 5 and 6 show examples of an additional-value designating parameter input screen (window) and additional-value-data generating parameter input screen (window), respectively. More specifically, Fig. 5 shows an example of the additional-value designating parameter input screen as a "Parameter 1" input screen via which the user is allowed to select at least one desired type of additional value, while Fig. 6 shows an example of the additional-value-data generating parameter input screen as a "Parameter 2" input screen via which the user is allowed to enter various parameters necessary for generation of the selected additional value. Note that operation buttons "●" and "○" on the "Parameter 2" input screen of Fig. 6 are "radio buttons", via which only one of listed items can be selected, as with the melody input screen of Fig. 3. Operation buttons "■" and "□" are so-called "check buttons", via which any desired number of items can be selected from among listed items. Further, when "Other" is selected in the "Style" selection section of Fig. 6, a plurality of rendition styles (except for arpeggio) at a lower hierarchical level corresponding to the selected item "Other" are displayed, although not specifically shown in Fig. 6.

[0031]

On the "Parameter 1" input screen of Fig. 5, the user selects at least one type of additional value data to be generated. In the illustrated example of Fig. 5, selections have been made for "creating a left-hand performance with the

input melody assumed to be performed by the right hand" and "creating a musical score". In response to the user selections on the "Parameter 1" input screen, the server 3 is caused to create music piece data comprising a right-hand performance part (i.e., input melody part) and a left-hand performance part suited to the right-hand performance part, as well as musical score data corresponding to the created music piece data.

[0032]

On the "Parameter 2" input screen of Fig. 6, the user enters various parameters necessary for creating music piece data of the left-hand performance part in response to the selective designation on the "Parameter 1" input screen of Fig. 5. In the illustrated example of Fig. 6, selections have been made for setting the difficulty level to the "Beginner's Level" and the rendition style to "Arpeggio" and for imparting "Intro" and "Ending" sections to the melody. In response to the selections on the "Parameter 2" input screen, the server 3 is caused to create music piece data and corresponding musical score data of the beginner's level in such a way that an arpeggio is imparted as the rendition style and intro and ending sections are imparted to the melody.

[0033]

As an example, the melody input section U1 and parameter input section U2 of the client terminal 1 or 2 may input a melody and parameters via a Web browser using the Internet. Namely, when the user (1, 2) enters a melody and requests creation of accompaniment data and musical score data on input screens as illustrated in Figs. 4 to 6 via the Web browser, the melody information is transmitted, along with the request for creation of accompaniment data and musical score, to the Web server 3. In turn, the Web server 3 imparts an accompaniment to the input melody, creates a musical score representing the input melody and then sends the accompaniment-imparted melody and musical score to the user.

[0034]

Namely, the melody (melody data or melody designating data) entered

via the melody input section U1 of the client terminal 1 or 2, and the parameters (additional-value designating parameters and additional-value-data generating parameters) entered via the parameter input section U2 are transmitted to the additional value generation section S2 of the server 3. Then, the additional value generation section S2 imparts an additional value to the input melody in accordance with the input melody and parameters received from the client terminal 1 or 2.

[0035]

More specifically, the additional value generation section S2 performs its additional-value generation process function to impart the input melody with additional value data corresponding to the additional-value designating parameters and additional-value-data generating parameters designated via the parameter input section U2 of the client terminal 1 or 2.

[0036]

Namely, for the additional value impartment, the additional value generation section S2 generates two sorts of content, i.e. regular content and test-listening or test-viewing content. For example, the test-listening or test-viewing content related to the music piece data may be partial music piece data representative of only part of the music piece or lower-quality music piece data having a lower quality than the regular music piece data, while the test-listening or test-viewing content related to the musical score data may be partial musical score data representative of only part of the musical score or sample musical score data labeled "for test listening". Note that the test-listening content, which generally comprises the same data as the regular content, may be built in a format that, by the streaming or like technique, allows no data to remain in the client PC 1 or portable communication terminal 2.

[0037]

After having generated such additional value data, the additional value generation section S2 of the server 3 first delivers the test-listening or

test-viewing content (i.e., sample content) to the client terminal 1 or 2. The client terminal 1 or 2, having received the test-listening or test-viewing content from the additional value generation section S2 of the server 3, can listen to or view the test-listening or test-viewing content through the function of the test-listening/test-viewing section U3 and can thereby determine whether the regular content corresponding to the sample content should be purchased or not. If the user of the client terminal 1 or 2 has decided to purchase the regular content as a result of the test listening or test viewing via the section U4, the purchase instruction section U5 issues a purchase request for the regular content to the server 3.

[0038]

Once the billing section S3 of the server 3 confirms the regular content purchase request given from the client terminal 1 or 2, it performs the billing process to bill the user for the content to be purchased and, upon completion of the billing process, the server 3 causes the additional value generation section S2 to deliver the regular content to the client terminal 1 or 2.

[0039]

In the client terminal 1 or 2 having received the regular content from the server 3, the content utilization section U4 makes use of the purchased regular content. Form of the utilization of the purchased regular content differs depending on the nature of the content. Namely, if the purchased regular content is music piece data, it may, for example, be reproduced for listening, transmitted to a third party by being attached to an e-mail, used in the portable communication terminal 2 or the like as an incoming-call alerting melody or BGM, or saved in the external storage device 14 or the like for creation of a library. If the purchased regular content is musical score data, it may, for example, be printed by a printer (not shown), or visually shown on the display device 22. Alternatively, the regular content may be used in a music training apparatus, or used as a karaoke accompaniment or as BGM of an electronic game.

[0040]

The billing section S3 of the server 3 may charge an uniform amount of money for every content or a different amount of money for each type of content. Further, the amount of money to be paid may be reduced depending on the number of times content purchase has been so far made by the user or the number of contents so far purchased by the user. The payment responsive to the billing by the server 3 may be made in any suitable manner; for example, the amount of money may be paid by a credit card, bank account transfer, postal transfer or electronic money, or may be added to a bill for the portable communication terminal used by the user.

[0041]

In a situation where the regular content is to be delivered from the server 3 to a previously-registered client terminal, it is preferable that the regular content delivery be effected when the billing process has been completed in response to confirmation of the purchase request. However, in a case where the payment for the regular content is by bank account transfer or postal transfer, the regular content may be delivered after the payment has been completed. Further, in stead of being delivered via a communication network as noted above, the regular content may be recorded in a storage medium and sent to the client terminal 1 or 2 by mailing of the storage medium storing the regular content. Also note that user information necessary for the billing process may be registered in the billing section S3 of the server 3 in advance or in response to entry of a desired melody and parameters by the user.

[0042]

<Processing by the Additional Value Generation Section>

Fig. 7 is a flow chart showing an example of additional-value generation processing executed by the additional value generation section S2 of the server 3 in the instant embodiment. At first step M1 of the additional-value generation processing, additional value data are generated in accordance with selected items on the "Parameter 1" input screen (i.e., additional-value

designating parameters) and on the "Parameter 2" input screen (i.e., additional-value-data generating parameters). Note that the additional value data generation need not necessarily be performed fully automatically; that is, a part of the additional value data generation process may be performed manually.

[0043]

The additional value data generation process at step M1 includes any of the following operations corresponding to additional-value designating parameters (1) - (10) mentioned above, which are carried out in accordance with the additional-value-data generating parameters entered on the "Parameter 2" input screen:

(1) harmony impartment operation for imparting harmonies matching with the input melody;

(2) chord impartment operation for imparting names of chords matching with the input melody;

(3) left-hand accompaniment impartment operation for setting the input melody as a right-hand performance part and imparting a left-hand performance part matching with the melody or right-hand performance part;

(4) both-hand accompaniment impartment operation for imparting a both-hand accompaniment matching with the input melody;

(5) backing impartment operation for imparting rhythm, bass and chord backing (band performance) matching with the input melody;

(6) performance expression impartment operation for imparting performance expression to the input melody;

(7) automatic composition operation for generating a melody of a single complete music piece using the input melody as a motif;

(8) melody modification operation for generating another melody analogous to the input melody;

(9) waveform-to-MIDI conversion operation for generating tone generator driving information of a predetermined format, such as the MIDI

format, corresponding to the input waveform data of the melody; and

(10) musical score creation operation for converting, into musical score data, musical data having an additional value imparted by any one of the operations of items (1) to (10) listed above.

[0044]

Once the additional value data are generated at step M1, the processing proceeds to step M2 in order to create test-listening or test-viewing content and regular content corresponding to the generated additional value data. At next step M3, the test-listening or test-viewing content is delivered to the client PC 1 or portable communication terminal 2.

[0045]

At following step M4, a determination is made as to whether the client PC 1 or portable communication terminal 2 has made a purchase request for the regular content. With an affirmative determination at step M4, the processing moves on to step M5, while with a negative answer at step M4, the additional value data generation section S2 terminates the processing. At step M5, the regular content is delivered to the client PC 1 or portable communication terminal 2, after which the additional value data generation section S2 terminates the processing.

[0046]

Now, more details of the additional value data generation at step M1 are set forth below. When the user of the client PC 1 or portable communication terminal 2 has entered a desired melody in accordance with the guide display of Fig. 4, selected desired ones of the additional-value designating parameters on the "Parameter 1" input screen of Fig. 5 and desired ones of the additional-value-data generating parameters on the "Parameter 2" input screen of Fig. 6 and then transmits these melody and parameter information to the server 3, the additional value generation section S2 of the server 3 carries out any of the following operations (1) to (10) which corresponds to the transmitted information.

[0047]

(1) Harmony Impartment Operation:

Fig. 8 is a flow chart showing an example of the harmony impartment operation carried out by the additional value generation section S2 of the server 3. At first step A1 of the harmony impartment operation, the input melody is analyzed so as to generate data indicative of a musical key and/or chord progression of the input melody. At next step A2, harmony data indicative of harmonies to be imparted to the input melodies (e.g., the number of harmony tones, ups and downs of the harmony tones relative to the melody tones, musical intervals (distances), volume and color of the harmony tones, etc.) are generated, on the basis of the input melody, generated musical key data and/or chord progression data and additional-value-data generating parameters input on the "Parameter 2" input screen. After completion of step A2, control returns to step M2 of the additional-value generation processing of Fig. 7. Thus, with the harmony impartment operation, it is possible to impart harmonies appropriate to the input melody (main melody).

[0048]

(2) Chord Impartment Operation:

Fig. 9 is a flow chart showing an example of the chord impartment operation carried out by the additional value generation section S2. In this chord impartment operation, the input melody is analyzed at step B1 so as to generate data indicative of the chord progression of the input melody, so that names of appropriate chords (chord progression data) can be imparted to the input melody.

[0049]

(3) Left-hand Accompaniment Impartment Operation:

Fig. 10 is a flow chart showing an example of the left-hand accompaniment impartment operation carried out by the additional value generation section S2 of the server 3. At step C1 of this left-hand accompaniment impartment operation, the input melody is analyzed so as to

generate data indicative of the musical key and/or chord progression of the input melody. At next step C2, a left-hand accompaniment style is decided on the basis of the additional-value-data generating parameters (e.g., those concerning the parameter type "Style") input on the "Parameter 2" input screen. At following step C3, left-hand accompaniment data to be imparted are generated on the basis of the generated musical key data and/or chord progression data, input additional-value-data generating parameters (e.g., tone volume and pitch range (octave)) and decided left-hand accompaniment style. For example, the left-hand accompaniment data are generated here by modifying a basic accompaniment pattern, corresponding to the style, so as to conform to the musical key and/or chord progression and then adjusting the tone volume and pitch range of the basic accompaniment pattern. Thus, with this left-hand accompaniment impartment operation, it is possible to impart a left-hand performance part appropriate to the input melody set as the right-hand performance part.

[0050]

(4) Both-hand Accompaniment Impartment Operation:

Fig. 11 is a flow chart showing an example of the both-hand accompaniment impartment operation carried out by the additional value generation section S2. At first step D1 of this both-hand accompaniment impartment operation, the input melody is analyzed so as to generate data indicative of the musical key and/or chord progression of the input melody. At next step D2, a both-hand accompaniment style is decided on the basis of the additional-value-data generating parameters (e.g., those concerning the parameter type "Style") input on the "Parameter 2" input screen. At following step D3, both-hand accompaniment data to be imparted are generated on the basis of the generated musical key data and/or chord progression data, input additional-value-data generating parameters (e.g., tone volume and pitch range (octave)) and decided both-hand accompaniment style. For example, the both-hand accompaniment data are generated here by modifying a basic

accompaniment pattern, corresponding to the style, so as to conform to the musical key and/or chord progression and then adjusting the tone volume and pitch range of the basic accompaniment pattern. Thus, with this both-hand accompaniment impartment operation, it is possible to impart a both-hand performance part appropriate to the input melody.

[0051]

(5) Backing Impartment Operation:

Fig. 12 is a flow chart showing an example of the backing impartment operation carried out by the additional value generation section S2. At first step E1 of this backing impartment operation, the input melody is analyzed so as to generate data indicative of the musical key and/or chord progression of the input melody. At next step E2, a backing style is decided on the basis of the additional-value-data generating parameters input on the "Parameter 2" input screen. At following step E3, backing data to be imparted are generated on the basis of the generated musical key data and/or chord progression data and decided backing style. For example, the backing data are generated here by modifying a basic backing pattern, corresponding to the style, so as to conform to the musical key and/or chord progression and then adjusting the tone volume and pitch range of the basic accompaniment pattern. Thus, with this backing impartment operation, it is possible to impart rhythm, bass and chord backing (band performance) appropriate to the input melody.

[0052]

(6) Performance Expression Impartment Operation:

Fig. 13 is a flow chart showing an example of the performance expression impartment operation carried out by the additional value generation section S2. At step F1 of this performance expression impartment operation, the input melody is analyzed, and performance expressions, such as a vibrato, are imparted to the melody on the basis of the additional-value-data generating parameters input on the "Parameter 2" input screen, to thereby create a new melody. For this purpose, a performance expression imparting algorithm may

be prestored in memory so that an expression-imparted melody is generated by applying the input melody and additional-value-data generating parameters to the performance expression imparting algorithm. Thus, with this performance expression impartment operation, it is possible to impart performance expressions to the simple input melody.

[0053]

(7) Automatic Composition Operation:

Fig. 14 is a flow chart showing an example of the automatic composition operation carried out by the additional value generation section S2 of the server 3. At step G1 of this automatic composition operation, the input melody (e.g., first two measures of the input melody) is analyzed so as to extract musical characteristics of the melody. Then, at step G2, a melody that should follow the input melody is automatically composed on the basis of the extracted musical characteristics of the input melody and additional-value-data generating parameters input on the "Parameter 2" input screen, to thereby create a new melody. For this purpose, a melody generating algorithm may be prestored in memory so that a new melody is generated by applying the extracted musical characteristics and additional-value-data generating parameters to the performance expression imparting algorithm. Thus, with this automatic composition operation, it is possible to generate a melody of a single complete music piece using the input melody as a motif.

[0054]

(8) Melody Modification Operation:

Fig. 15 is a flow chart showing an example of the melody modification operation carried out by the additional value generation section S2. At step H1 of this automatic composition operation, the input melody (e.g., first two measures of the input melody) is analyzed so as to extract musical characteristics of the melody. Then, at step H2, the input melody is modified to create a new melody, for example, by randomly changing non-skeletal or non-chord-component tones of the input melody to other kinds of tones or into

another similar rhythm on the basis of the extracted musical characteristics and additional-value-data generating parameters input on the "Parameter 2" input screen. Thus, with this melody modification operation, it is possible to generate a melody analogous to the input melody.

[0055]

(9) Waveform-to-MIDI Conversion Operation:

Fig. 16 is a flow chart showing an example of the waveform-to-MIDI conversion operation carried out by the additional value generation section S2. At step J1 of this waveform-to-MIDI conversion operation, a tone waveform of a melody, input by picking up humming or the like, is analyzed so as to extract values of tone pitches, note-on timing and gate time of the input melody. Then, at step J2, music piece data of a predetermined format, such as the MIDI format, are generated on the basis of the extracted values. Note that the format of the music piece data may be other than the MIDI format, such as the tone-generator-driving performance data format as used in cellular phones (for generating melody sound), electronic game apparatus, etc. Thus, with this waveform-to-MIDI conversion operation, it is possible to generate music piece data of a predetermined format, such as the MIDI format, which correspond to the input waveform data of the melody.

[0056]

(10) Musical Score Creation Operation:

Fig. 17 is a flow chart showing an example of the musical score creation operation carried out by the additional value generation section S2. At step K1 of this musical score creation operation, a picture of a musical score is generated on the basis of the melody, accompaniment data, music piece data, etc. generated by one or more of the operations described in items (1) to (9) above. Thus, with this musical score creation operation, it is possible to convert the additional-value-imparted musical data into musical score data.

[0057]

<Modified Embodiment>

As a modification of the melody input, a polyphonic melody or a melody with an accompaniment attached thereto, rather than a monophonic melody, may be input by the user to the client terminal 1 or 2. In such a case, the additional value generation section S2 may be arranged to generate an additional value using any of operations described in items (11) to (13) below; in this way, chords can be generated with higher precision than in the case of the monophonic melody.

(11) Harmony re-impartment operation for deleting the original harmonies and imparting therefor other harmonies matching with the input melody (main melody).

(12) Accompaniment re-impartment operation for deleting the original accompaniment and imparting therefor another accompaniment matching with the input melody.

(13) Chord impartment operation for imparting chords in response to input of a tone waveform of a polyphonic melody or accompaniment-imparted melody.

[0058]

Whereas the content generation service system of the present invention has been described above in relation to the case where a melody is input as a musical material, any other musical material than a melody, such as chord progression, may be used. For example, the additional value generation section S2 of the server 3 may have a function for automatically composing a monophonic or polyphonic melody in response to input of chord progression data and melody generating parameters, and/or a function for generating accompaniment data in response to input of chord progression data and accompaniment generating parameters. In an alternative, the additional value generation section S2 of the server 3 may have a function for automatically composing a monophonic or polyphonic melody in response to input of only melody generating parameters.

[0059]

Fig. 18 is a flow chart illustrating processes carried out by the client terminal 1 or 2 and server 3 for automatically composing a melody. In the illustrated example, only melody generating parameters are input via the client terminal 1 or 2 and transmitted to the server 3, so that the server 3 automatically composes a melody only on the basis of the received melody generating parameters.

[0060]

In the illustrated example of Fig. 18, the client terminal 1 or 2 first accesses a composition site provided in the server 3, at step P1. Specifically, the client terminal 1 or 2 transmits the URL (Uniform Resource Locator) of the composition site to the server 3. In response to such access from the client terminal 1 or 2, the server 3, at step Q1, transmits data for displaying a parameter input screen to the client terminal 1 or 2. Then, upon receipt of the input-screen displaying data from the server 3, the client terminal 1 or 2 displays the parameter input screen on its display device 22, at step P2.

[0061]

Fig. 19 is a diagram showing an example of the parameter input screen, which is a screen for the user to select and enter one of a plurality types of parameters. In Fig. 19, "Scene", "Feeling" and "Style" are shown as the plurality types of parameters. The parameter type "Scene" represents parameters for designating a scene where a music piece is presented, and specific examples belonging to this parameter type "Scene" include "Birthday" and "Christmas Day". The parameter type "Feeling" represents parameters for designating a feeling or atmosphere of an automatically composed music piece, and specific examples belonging to this parameter type "Feeling" include "Fresh" and "Tender". Further, the parameter type "Style" represents parameters for designating an accompaniment of a music piece, and specific examples belonging to this parameter type "Style" include "Urbane" and "Earthy".

[0062]

For example, when the user selects a desired one of the parameter types by moving a cursor, depicted in section (a) of Fig. 19 by a hatched rectangular block, to the position of the desired parameter type through manipulation of a predetermined operator (e.g. up/down switch) of the on the operator unit 21 and giving a "Decision" instruction at a predetermined position (such as by activating or clicking an "Enter" switch), choices of specific parameters belonging to the selected parameter type are displayed as shown in section (b) of Fig. 19. Then, once the user selects a desired one (in the illustrated example, "Lonely") of the parameters by moving the cursor to the position of the desired parameter through manipulation of a predetermined operator on the operator unit 21 and giving a "Decision" instruction at a predetermined position, the selected parameter of the selected parameter type (in the illustrated example, "Feeling") is finally set, after which the screen returns to the display state of section (a) of Fig. 19. Similar instructions are given by the user for all the parameter types, so as to set parameters for automatically composing a music piece. When a "Random" button shown at the lower right on the screen shown in section (a) of Fig. 19 is activated or clicked by user's manipulation on the operator unit 21, any one of the parameters is decided randomly for each of the parameter types.

[0063]

Once parameters have thus been decided for all of the parameter types, the user manipulates the operator unit 21 to activate or click a "Send" button at the lower left on the screen shown in section (a) of Fig. 19, so as to transmit each of the selected parameters to the server 3. In turn, at step Q2, the server 3 automatically composes a motif melody having one or more measures on the basis of the parameters received from the client terminal 1 or 2. More specifically, the server 3 has prestored therein, for each of the selectable parameters, a set of detailed parameters (such as rhythm- and pitch-related parameters) to be used for automatic composition, so that a motif melody can be automatically composed by the server 3 selecting some of the sets of detailed

parameters corresponding to the received parameters and supplying the selected sets of detailed parameters to an automatic composition engine.

[0064]

After having completed the automatic composition of the motif melody, the server 3 goes to next step Q3, where a melody of an entire music piece is automatically composed using the automatic composition engine and on the basis of the detailed parameter sets corresponding to the received parameters and the motif melody composed at step Q2 above. Then, at following step Q4, an accompaniment part for the entire music piece is generated with respect to the melody of the entire music piece using the automatic composition engine, and the thus-generated accompaniment part is imparted to the melody.

[0065]

Examples of the automatic composition engine and detailed parameter sets as mentioned above are described in detail in Japanese Patent Application No. 11-019625 filed by the same applicant of the instant application. In a situation where the number of tones simultaneously generatable in the client terminal 1 or 2 is limited and differs (such as one, three or four tones) depending on the type of the client terminal, it is preferable to employ a scheme in which information indicative of the number of tones simultaneously generatable in the client terminal and type of the client terminal is included previously in the parameters so that the automatic composition engine generates a specific number of tones corresponding to such information. Examples of the scheme may include: one where no accompaniment part is imparted if only one tone is simultaneously generatable in the client terminal; one where two accompaniment parts are imparted if three tones are simultaneously generatable in the client terminal; and one where three accompaniment parts are imparted if four tones are simultaneously generatable in the client terminal.

[0066]

After the melody and accompaniment part for the entire music piece

have been automatically composed at step Q3 and Q4, the server 3 proceeds to step Q5, in order to create test-listening content comprising a part of the composed music piece data set and send the thus-created test-listening content to the client terminal 1 or 2. Specifically, the test-listening content may comprise only the motif melody, only the melody of the entire music piece, only the accompaniment, only the music piece data up to a halfway point of the entire music piece, or the like.

[0067]

Then, at step P5, the client terminal 1 or 2 receives the test-listening content from the server 3 and reproduces the received test-listening content. At next step P6, the client terminal 1 or 2 makes a determination as to whether the music piece data corresponding to the test-listening content, i.e. the regular content, is to be purchased or not. If it has been determined, as a result of the test listening, that the regular content is to be purchased (YES determination), then the client terminal 1 or 2 goes on to step P7, where a purchase request for the regular content is transmitted to the server 3 by manipulation of the operator unit 21. If, on the other hand, the regular content is not to be purchased, i.e. if the automatic composition is to be re-executed (NO determination), the client terminal 1 or 2 loops back to step P3 so as to re-execute the automatic composition starting with display, on the display device 22, of the parameter input screen. There may be employed another alternative in which the automatic composition is not re-executed at all even when the user does not want to purchase the regular content.

[0068]

Upon receipt of the purchase request from the client terminal 1 or 2, the server 3 carries out the billing process at step Q6 and then sends the regular content to the client terminal 1 or 2. Then, at step P8, the client terminal 1 or 2 uses the received regular content for generation of an incoming-call alerting melody, BGM during a call, or the like.

[0069]

It should be also appreciated that the regular content purchased or obtained in the above-mentioned manner may be imparted with a further additional value through the above-described additional value service. For example, a picture of a musical score corresponding to the regular content may be obtained, or the accompaniment part contained in the regular content may be deleted so as to impart harmonies, left-accompaniment, both-hand accompaniment, backing or the like to the regular content in place of the accompaniment part.

[0070]

<Modifications>

It should be obvious that the content generation service system of the present invention having been described above may be modified variously. For example, the data transmission from the client PC or portable communication terminal to the server, or the data delivery from the server to the client personal computer or portable communication terminal may be performed in any desired manner; the data may be transmitted or delivered by use of the HTTP (HyperText Transfer Protocol), FTP (File Transfer Protocol), by being attached to an electronic mail or by being sent by ordinary mail.

[0071]

Further, the data to be communicated in the present invention may be of any desired format. For example, the music piece data may be based on the MIDI standard (e.g., SMF: Standard MIDI File) or other format (e.g., format specific to the maker or manufacturer). The musical score data may be image data (e.g., bit map), may be of any other suitable format (e.g., file format capable of being handled by predetermined score-creating or score-displaying software), may be electronic data, or may be printed on a sheet of paper or the like; if the musical score data are electronic data, they may be either in a compressed form or in a non-compressed form. Furthermore, the data may be encrypted or imparted with an electronic signature. Moreover, the data format of content may be selected as desired by the user, and data of a plurality of

formats may be delivered simultaneously.

[0072]

It should also be appreciated that the musical data to be provided as content may be organized in any desired format, such as: the "event plus absolute time" format where the time of occurrence of each performance event is represented by an absolute time within the music piece or a measure thereof; the "event plus relative time" format where the time of occurrence of each performance event is represented by a time length from the immediately preceding event; the "pitch (rest) plus note length" format where each performance data is represented by a pitch and length of a note or a rest and a length of the rest; or the "solid" format where a memory region is reserved for each minimum resolution of a performance and each performance event is stored in one of the memory regions that corresponds to the time of occurrence of the performance event.

[0073]

[Advantageous Results of the Invention]

In summary, the present invention having been described so far is characterized in that musical material information, such as original melody information, is input via a client terminal like a client PC or portable communication terminal and transmitted to a server so that the server generates music piece data having an additional value imparted thereto (additional-value-imparted data) and delivers the generated music piece data (additional-value-imparted data) to the client terminal. With such an arrangement, the present invention allows the user of the client terminal to obtain additional-value-imparted content without having to complicate the structure of the client terminal.

[0074]

Further, according to the present invention, the server is arranged to generate test-listening or test-viewing content (sample data) in addition to regular content (additional-value-imparted data), and the client terminal is

arranged to test-listen or test-view the test-listening or test-viewing content (sample data) and obtain or purchase the regular content (additional-value-imparted data) if the user has found the sample content to be satisfactory as a result of the test listening or test viewing. Thus, in case the sample content generated and delivered by the server has been found unsatisfactory, the user can choose to not purchase the corresponding regular content.

[0075]

Further, because parameters (control data) are input, along with musical material information (original melody information), via the client terminal and then the server generates content (additional-value-imparted data) on the basis of the musical material information (original melody information) and parameters (control data), the user of the client terminal can control the substance of the to-be-generated content (additional-value-imparted data) in accordance with parameters (control data) input by the user, to thereby obtain desired content (additional-value-imparted data) in accordance with parameters (control data).

[0076]

Furthermore, according to the present invention, the server is arranged in such a manner that when parameter information, such as melody generating parameters, is input via the client terminal and transmitted to the server, the server generates musical content, such as a melody, on the basis of the parameter information from the client terminal and delivers the thus-generated musical content to the client terminal. With this arrangement, the user of the client terminal can obtain musical content with great facility.

[Brief Description of the Drawings]

[Fig. 1]

Fig. 1 is a block diagram showing an exemplary general setup of a content generation service system in accordance with an embodiment of the present

invention.

[Fig. 2]

Fig. 2 is a block diagram showing an exemplary hardware setup of a client PC in the content generation service system in accordance with an embodiment of the present invention.

[Fig. 3]

Fig. 3 is a block diagram outlining various functions performed by the content generation service system in accordance with an embodiment of the present invention.

[Fig. 4]

Fig. 4 is a diagram showing an example of a melody input screen shown on a display device of a client terminal according to the embodiment of the present invention.

[Fig. 5]

Fig. 5 is a diagram showing an example of a "Parameter 1" (additional-value designating parameter) input screen displayed on the client terminal according to the embodiment of the present invention.

[Fig. 6]

Fig. 6 is a diagram showing an example of a "Parameter 2" (additional-value-data generating parameter) input screen displayed on the client terminal according to the embodiment of the present invention.

[Fig. 7]

Fig. 7 is a flow chart showing an example of additional-value generation processing executed by an additional value generation section of a server according to the embodiment of the present invention.

[Fig. 8]

Fig. 8 is a flow chart showing an example of a harmony impartment operation according to the embodiment of the present invention.

[Fig. 9]

Fig. 9 is a flow chart showing an example of a chord impartment operation

according to the embodiment of the present invention.

[Fig. 10]

Fig. 10 is a flow chart showing an example of a left-hand accompaniment impartment operation carried out according to the embodiment of the present invention.

[Fig. 11]

Fig. 11 is a flow chart showing an example of a both-hand accompaniment impartment operation carried out according to the embodiment of the present invention.

[Fig. 12]

Fig. 12 is a flow chart showing an example of a backing impartment operation carried out according to the embodiment of the present invention.

[Fig. 13]

Fig. 13 is a flow chart showing an example of a performance expression impartment operation carried out according to the embodiment of the present invention.

[Fig. 14]

Fig. 14 is a flow chart showing an example of an automatic composition operation carried out by the additional value generation section;

[Fig. 15]

Fig. 15 is a flow chart showing an example of a melody modification operation carried out by the additional value generation section;

[Fig. 16]

Fig. 16 is a flow chart showing an example of a waveform-to-MIDI conversion operation carried out according to the embodiment of the present invention.

[Fig. 17]

Fig. 17 is a flow chart showing an example of a musical score creation operation carried out according to the embodiment of the present invention.

[Fig. 18]

Fig. 18 is a flow chart illustrating processes carried out by the client terminal and server for automatically composing a melody according to the embodiment of the present invention.

[Fig. 19]

Fig. 19 is a diagram showing an example of a parameter input screen for use in automatic composition of a melody in the embodiment of the present invention.

[Brief on Reference Characters]

- 1 client PC (client terminal)
- 2 portable communication terminal (client terminal)
- 3 server

[Name of Document] ABSTRACT


[Abstract]

[Problem to Be Solved] To provide a content generation service system which can readily generate additional-value-imparted musical content with respect to a melody or a parameter from a user.

[Solution] According to the present invention, in response to input (U1, U2) of an original melody or a parameter from a client terminal such as a client PC 1 or a portable communication terminal 2, a server 3 creates music piece data having an additional value corresponding to the original melody (musical material) and the parameter (control data) from the client, and delivers, to the client, the created data as content (additional-value-imparted data) (S2). In this case, in addition of the regular content, test-listening or test-viewing sample content (sample data of a result) is created, then first, the created test-listening or test-viewing sample content is delivered to the client terminal 1, 2, and then, if a purchase request (U5) for the regular content is confirmed as a result of test-listening or test-viewing of the sample content (U3), billing process and delivering of the regular content (result data) are performed (S3 to S2).

[Representative Figure] Figure 3

[Name of Document] DRAWINGS



F I G . 1

GENERAL SYSTEM BLOCK DIAGRAM




FIG. 2

HARDWARE SETUP DIAGRAM OF CLIENT PC




FIG. 3

OUTLINE FUNCTION BLOCK DIAGRAM

【 INPUT METHOD 】

- ☒ INPUT NOTES WHILE VIEWING MUSICAL SCORE
- ☐ INPUT NOTES IN NUMERICAL VALUES
- ☐ INPUT HUMMING
- ☐ LOAD SMF
- ☐ SELECT FROM MELODY DATABASE

MELODY INPUT SCREEN

F I G. 4

【 PARAMETER 1- 】
< TYPE >

- ☐ IMPART HARMONIES
- ☐ IMPART CHORDS
- ☒ CREATE LEFT-HAND PERFORMANCE, WITH MELODY ASSUMED
TO BE PERFORMED BY RIGHT HAND
- ☐ CREATE BOTH-HAND PERFORMANCE SUITED TO MELODY
- ☐ CREATE BACKING PERFORMANCE
- ☐ IMPART EXPRESSION
- ☐ AUTOMATICALLY COMPOSE SINGLE MUSIC PIECE
- ☐ MODIFY MELODY
- ☐ CREATE MIDI DATA FROM WAVEFORM
- ☒ CREATE MUSICAL SCORE

"PARAMETER 1" INPUT SCREEN

F I G. 5

【 INPUT METHOD 】

- ☒ INPUT NOTES WHILE VIEWING MUSICAL SCORE
- ☐ INPUT NOTES IN NUMERICAL VALUES
- ☐ INPUT HUMMING
- ☐ LOAD SMF
- ☐ SELECT FROM MELODY DATABASE

MELODY INPUT SCREEN

F I G . 4

【 PARAMETER 1 】
< TYPE >

- ☐ IMPART HARMONIES
- ☐ IMPART CHORDS
- ☒ CREATE LEFT-HAND PERFORMANCE, WITH MELODY ASSUMED
TO BE PERFORMED BY RIGHT HAND
- ☐ CREATE BOTH-HAND PERFORMANCE SUITED TO MELODY
- ☐ CREATE BACKING PERFORMANCE
- ☐ IMPART EXPRESSION
- ☐ AUTOMATICALLY COMPOSE SINGLE MUSIC PIECE
- ☐ MODIFY MELODY
- ☐ CREATE MIDI DATA FROM WAVEFORM
- ☒ CREATE MUSICAL SCORE

"PARAMETER 1" INPUT SCREEN

F I G . 5

【 PARAMETER 2 】

< DIFFICULTY LEVEL >

☒ BEGINNER'S LEVEL

☐ INTERMEDIATE LEVEL

☐ ADVANCED LEVEL

< STYLE >

☒ ARPEGGIO

☐ OTHERS

< INTRO/ENDING >


☒ INTRO

☒ ENDING

OK CANCEL

"PARAMETER 2" INPUT SCREEN

F I G. 6



PROCESSING BY ADDITIONAL VALUE GENERATION SECTION

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19